



asca | RCA
Registered Consulting Arborist®



A Plant Health Care Consultant

List of Tree Risk Assessment Reports

Roger B. Sturgis and Associates 9- 18- 1997

37 Whitcomb Street

Waltham MA 02153

Visual tree risk assessment of the structural stability of the large Yellowwood tree south of the house. 130 Mercer Street, Cambridge, MA

A. Anthony Tapp's and Associates, Inc 1- 31- 1997 Six Edgerly Place Boston, MA 02166 Re: Goodnow Library Addition and Renovation, Sudbury, MA Tree Risk Assessment of 51 trees 25 hazardous tree evaluations

Gail Bayer 6- 10-2005

28 Silver Hill Road

Weston, MA Internal tree risk assessment using a Resistograph computerized diagnostic drill on 4 large Oaks next to house.

Martha Francis 1- 13- 1998

93 California Street

Watertown, MA

Re: Visual tree risk assessment to Large Willow tree right rear corner of house own by Metropolitan District Commission had large branch failure and damaged house.

Dave Holden 11- 24- 1998 6 Horse Pond Road
Shirley, MA 01464
Visual tree risk assessment on two Large White Oak (Quercus alba)
located in the Johns Wildlife off Horse Pond Road.

Lueders Companies 6- 23- 1998
Attention: Michael Lueders
27 Brook Street Medfield, MA 02052
Re: Visual tree risk assessment of Boxelder maple 92 Washington
Street, Needham, Massachusetts

Jackson Welch 2- 9 -1998
28 Wenham Road
Topsfield, MA
Visual tree risk assessment of six large trees around the main
house.

Town of Sherborn 11- 20- 1998
Visual tree risk assessment of four White ash trees along roadside
to determine structural stability contested by Ad Hoc tree
committee.

Tree Specialist, INC 8- 15- 1999
Holliston, MA
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on
a Sugar maple on private property next to road.

Elizabeth James 7- 24- 1999
Chelmsford MA
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on a large black oak front to house.

Lueders Tree and Landscape INC 12- 26- 2005
PO Box 279
Needham, MA 02192
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on 3 Oak trees near drive.

Cedar Lawn Tree and Landscape Inc (10-17- 2005) and 2012
32 Nickerson Road
Ashland, MA 01721 Internal tree risk assessment using a
Resistograph computerized diagnostic drill on a large Red oak next
to a house and drive.

USPO Reality Group LLC 6- 12- 2006
4 Bonazzli Ave
Hudson. MA 01749 Internal tree risk assessment using a
Resistograph computerized diagnostic drill on a large White pine.

The Arnold Arboretum of Harvard University 6- 12- 2006
Attention: John DelRosso
125 Arbor Way
Jamaica, Plain MA 02130
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on
5 Trees.

Horticultural Technologies Inc. 7- 12- 2006
106 Pine Street
Clinton, MA 01510 Internal tree risk assessment using a
Resistograph computerized diagnostic drill on 7 trees at Hobbs
Brook Industrial Park.

Halvorson Design Partnership 7- 10- 2006
161 Massachusetts Ave
Boston, MA. 02115
Harvard University Riverside Project
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on
1 large Ash Tree.

Wellesley College 12 -28- 2008
Attention: John Olmsted Supt. of Grounds
106 Central Street
Wellesley, MA. 02481
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on
5 Reds Oaks.

Wellesley College 8- 8- 2010
Attention: John Olmsted Supt. of Grounds
106 Central Street
Wellesley, MA. 02481
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on 5 Oaks and 1 Maple.

Barbara Deck 11- 27 - 2011
15 Hobart Terrace
Newton, MA. 02459
Assessment of visual tree failure- neighbor's tree fell on her
condominium.

Steve Strickler 9- 1- 2011
69 Spring Street
Lexington, MA. 02124
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on a
Large Pine tree left front of house.

Lueders Tree and Landscape INC. 9- 6- 2011
Attn: Mike Lueders
P.O. Box 279
Needham, MA. 02192
Internal tree risk assessment using a Resistograph computerized
diagnostic drill on a
large Beech tree in circle of drive.

Kyle Spellman). 10- 10- 2011

33 Speen Street

Natick, MA. 01766

Internal tree risk assessment using a Resistograph computerized diagnostic drill on
3 large Oaks.

Barbara Miller 11- 12-2011

Apple Ridge Condominium

Building 3 Unit 4

Maynard, MA. 07154

Visual tree risk assessment of large Red swamp maple

Ave-Robin Cohen 1- 20- 2012

32 Cushing Street

Cambridge, MA. 02138

Tree Risk Assessment of 1 large Sugar maple (Resistograph)

Peter and Sara Lee Strock 1-5-2012

1 Sheridan Road

Wellesley, MA. 02382

Internal tree risk assessment using a Resistograph computerized diagnostic drill for
12 Oak trees.

Jeffery Fiengold 1-6- 2012

24 Davenport Road

Weston, MA. 02493

Internal tree risk assessment using a Resistograph computerized diagnostic drill for
4 large pines and 1 large Oak (Resistograph)

Amica Mutual Insurance Co. 10-16-3012

Attention: Paulette R. Suttill, Sr. Claims Services Rep.

1 Research Drive, Suite 40-1-B

Westborough, MA. 10581. 3958

Visual structural condition of remaining trees where previously a tree fell on an auto in Brookline MA.

Dan Hart 10-26-2012

80 Potomac Street

West Roxbury, MA. 02132

Visual tree risk assessment of possible root disturbance on adjacent property.

National Development 10-29-2012
Attention: Steve Senna – Project manager
2320 Washington Street
Newton Lower Falls, MA. 02462
Visual tree risk assessment of for trees along the property line for
a new development.

The Picot Company 11-9-2012
Attention: Jeff Simco
266 Hillside Road
Needham, MA. 02094
Internal tree risk assessment using a Resistograph computerized
diagnostic drill for
Large Oak at 27 Windmill Road Concord MA.

Harvard University 11-14-2012
Harvard Real Estate Services
Attention: John S. Turner Property Manager
1350 Mass. Ave.
Internal tree risk assessment using a Resistograph
computerized diagnostic drill for the
Historic Sycamore tree at Artemas Ward Homestead Shrewsbury
MA.

Cedar Lawn Tree and Landscape 11-20 -2012
Internal tree risk assessment using a Resistograph computerized
diagnostic drill for 2 large Oaks for Framingham University,
Framingham, MA.

Richard and Linda Ferris 2-11-2013
2 Robin Road
Lynnfield, MA. 01940
Structural Tree Assessment of 110 ft. White pines
on the neighbor's property.

Wellesley College 2-25-2013
Attention: John Olmsted
Superintendent of Physical Plant
106 Central Street
Wellesley, MA. 02481
Visual structural root assessment update on
8 – 100 ft. White pine at 30 Leighton St. Wellesley MA.

Pompositticut Farm Day Camp 6-11-2013

Attention: Jacqueline E. Kane owner

25 Lewis Street

Hudson, Ma. 01749

Internal tree risk assessment using a Resistograph computerized diagnostic drill for a White pine on Obstacle Course.

Jean Brooks Landscape, Design and Construction 8-27-2013

Attention: Jean Brooks Owner

875 Main Street

Cambridge MA. 02139 Internal tree risk assessment using a Resistograph computerized diagnostic drill for a client on an Oak at 121 Meadowbrook Rd. Weston, MA.

Alice Soref 8-28-2013

45 Westgate Road

Newton Center, MA. 02759

Visual tree risk assessment of large Oak leaning over house.

Paul Grohne 9-15-2013

72 Sudan Street

Dorchester, MA. 02125

Visual tree risk assessment of neighbors 65 ft. tall Honey locust tree.

Ned Bolle 11-13-2013

66 Temple Street

Reading MA. 01867

Visual tree risk assessment of large neighbors Oak on property line.

Town of Natick 11-27-2013

Attention: Arthur Goodhind

Supervisor of Land Facilities and Natural Resources, Tree Warden

75 West Street

Natick, MA. 01760

Visual tree risk assessment of Hickory tree on Rockland St. Natick

Paul Grohne 1-4-14
72 Sudan Street
Dorchester, MA. 02125
Visual tree risk assessment of large silver maple
on abutting neighbor's property.

Young Construction Co. 1-7-2014
Peter Lee
429 Cherry St.
Newton MA. 02465
Visual tree risk assessment of Neighbors large Oak root damage.
Enteral tree risk assessment using a Resistograph
computerized diagnostic drill.

Mary G. Hadcock 1-10-2014
3 Fairview Ave.
Bedford, MA. 01730
Internal tree risk assessment using a Resistograph
computerized diagnostic drill.

Roger Bradford- 1-17- 2014
22 Burlington St.
Lexington, MA. 02420
Internal Tree Risk Assessment of large 75 ft. tall Red oak
owned by the Town of Lexington MA.

Ms. Sherry Dillon 9-12-2014
1011 Concord Road
Sudbury MA. 01776
Internal tree risk assessment of 3 large White pines using a
Resistograph computerized diagnostic
drill.

Louise Popkins 4-25-15
9 Cliff Road
Arlington, MA. 02475
Visual Tree Risk Assessment

EIKOS Community Service Inc. 6-23-15
Attn: Barbara Deck
1867 Commonwealth Ave.
Brighton, MA. 02135
Visual Tree Risk Assessment of an Ailanthus Tree next to building.

Norma F. Macgillivray 10 – 9-15
451 Mystic Street
Arlington, MA. 02474
Visual Tree Risk Assessment

Richard Stewart – 11- 7 2005
40 Pond Circle
Jamaica, MA 02130
Assessment of Lightning struck trees

College of the Holy Cross 6-11-2007
Attention: Jim Long Superintendent of Grounds
One College Street
Worcester, MA.01610
Assess structural assessment from construction damage to large
Maple.

Unitil Service Corporation 7-29-2007
5 McGuire Street
Concord, HN. 03301
Assessment of pruning damage done by utility Co.

James P. Mitchell 4-20-2011
Attorney at Law
20 West Emerson Street
Melrose, MA. 02176
Re: Carolyn Harris property, 3 and 3R Ledge Road Gloucester
Massachusetts
Tree Age Assessment. Morrison, Mahoney LLP

Attn: Attorney M. Prokop 8-11-2012
250 Summer Street
Boston, MA. 02210-1181
Property line Tree cutting assessment.

Wellesley College 8-30-2010
Attention: John Olmsted
Superintendent of Physical Plant
106 Central Street
Wellesley, MA. 02481
Health assessment of trees

Paul Venturo 4-12-2012
86 Pearson Avenue
Somerville, MA.
Tree Health Assessment

Sally Sveda 5-20-2012
12 Sunhill Lane
Newton Centre, MA.
Assessment of damaged roots Pines

Halvorson Design Partnership Inc. 6-22-12
Attention: Joseph H. Ficoiello
Senior Landscape Architect
25 Kingston Street 5th Floor
Boston, MA.
Tree Health Assessment at new development

Judy Swanson 7-6-2012
34 Juniper Lane
Newton Center MA.
Health Assessment of burnt tree

Jerry and Joanne Boucher 7-29-12
76 Sorli Road
Carlisle, MA.
Assessment of newly planted tree.
Ms. Bryn Zeckhauser 7-29-2012
89 Irving Street
Cambridge, MA.
Health Assessment of Japanese Kousa Dogwood

Will Malley 7-31-2012
Cedarlawn Tree
32 Nickerson Road
Ashland, MA.
Health Assessment of 200 year old Oak tree.

Ben Zimmerman 8-6-2012
Development Associates
1601 Trapelo Road Suite 280
Health Assessment of 12 trees along street.

Maggie Lincoln 8-14-20-12
345 Westford Road
Concord, MA.
Assessment of trees from root damage.

Cynthia Breazeal 8-18-2012
10 Kirkland Place
Cambridge, MA.
Diagnostic test for Japanese maple disease.

Ms. Jeanne Codori-Huff 9-19-2012
8 Grove Street
Winchester MA.
Assessment of Health of 2 large Eastern hemlocks.

Town of Shirley 10-2-2012
Attention: David Berry, Chief Administrator Office
7 Keady Way
Shirley, MA.
Tree Risk assessment of 200 year old pine in Center Cemetery.

Ms.Beate S. Viglione 10-3-2012
22 South Munroe Terrace
Dorchester, MA.
Assessment of garage damaged by neighbors Maple tree.

Amica Mutual Insurance Company 10-16-2012
Attention: Paulette R. Suttill Sr. Claims Service Rep.
1 Research Drive Suite 40 – 1B
Westborough, MA.
Tree failure / to Vehical and health assessment of other trees.

National Development 10-29-2012
Attention: Steve Senna- Project manager
2310 Washington Street
Newton Lower Falls, MA.
Risk assessment of Trees

John Vyhnanek 10-20-2012
800 Green Street
Cambridge, MA.
Health assessment of root damage to Neighbors foundation

Sanska USA Building 11-8-2012
Attention: Chip Cannon Project Manager
8 Mt. Auburn Street Cambridge, MA.
Health Assessment of Oak at Fogg Museum Harvard University
Broadway St. MA.

Harvard University 11-14-2012
Harvard Real Estate Services
Attention: John S. Turner, Property Manager
1350 Massachusetts Ave.
Cambridge, MA.
Structural assessment of Sycamore Tree at Artemas Ward
Homestead Shrewsbury MA.

Cedarlawn Tree 11-20-012
Attention: Matt Shields, Arborist
32 Nickerson Road
Ashland, MA.
Structural assessment of 2 Oaks at Framingham State University
Framingham MA.

Dan Hart 11-26-2012
80 Potomac Street
West Roxbury, MA.
Health assessment of personal trees before development of
adjacent property

Phillips Pond Home Association 11-26-2012
C/o Crowninshield Management Crop.
Melanie DeMaria Property Manager
18 Crowninshield Street, Peabody MA.
Pruning Spec's for Phillip Pond Homes Association South Natick
MA.

Anderson Landscape Construction, Inc 12-7-2012
Attention: Fred Anderson, President
PO Box 930, 6 Beverly Drive
Sterling, MA.
Structural assessment of White oak at Sue property 131 Cliff Rd.
Wellesley MA.

The Picot Company
Attention: Jeff Simco
266 Hillside Ave
Needham, MA.
Structural assessment of Oak at 27 Windmill Road Concord MA.

Town of Natick 10-4-13
Arthur Good hind Tree Warden
75 West Street
Town of Natick, MA. 01760
Visual tree inspection.

Wellesley College 2-25-2013
Attention: John Olmstead
Superintendent of Physical Plant
106 Central Street
Wellesley, MA.
Update of Structural assessment of 9 Pine trees.

J.V. Fletcher Library 2-2-14
Ellen D. Rainville Director
50 Main Street
Westford, MA. 01886
Tree Risk Assessment of 200 year old Black oak

Ming Zhang 4-28-2014
202 Rindge Street
Winchester, MA. 01890
Visual Tree Risk assessment tree right of house.

Town of Natick 2-9 15
Attention: Arthur Goodhind- Tree Warden
75 West Street
Natick, MA. 01716
Visual Tree Risk Assessment on Ash tree at 15 Sawin St. Natick

Matthew Foti Landscape and Tree Service 6-1-15
Attention: Matthew Foti
30 Fairbanks Street
Lexington, MA. 02421
Visual and internal Tree Risk Assessment to
6 trees on Concord Ave. Lexington MA. (Resistograph)